



# CORTICAL BONE SCREWS

Hexagonal Head



## Ø3.5mm Cortical Screws Pitch : 1.25

Threaded diameter	3.5mm
Drill Bit for Threaded Hole	2.5mm
Drill bit for gliding hole	3.5mm
Core diameter	2.4mm
Hexagonal socket	2.5mm
Head diameter	6.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Cat. No	Lenght (mm)
SC-0310	10	SC-0326	26
SC-0312	12	SC-0328	28
SC-0314	14	SC-0330	30
SC-0316	16	SC-0332	32
SC-0318	18	SC-0334	34
SC-0320	20	SC-0336	36
SC-0322	22	SC-0338	38
SC-0324	24	SC-0340	40



## Ø3.5mm Cortical Screws Pitch : 1.75

Threaded diameter	3.5mm
Drill Bit for Threaded Hole	2.0mm
Drill bit for gliding hole	3.5mm
Core diameter	2.0mm
Hexagonal socket	2.5mm
Head diameter	6.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Cat. No	Lenght (mm)
SC-1310	10	SC-1326	26
SC-1312	12	SC-1328	28
SC-1314	14	SC-1330	30
SC-1316	16	SC-1332	32
SC-1318	18	SC-1334	34
SC-1320	20	SC-1336	36
SC-1322	22	SC-1338	38
SC-1324	24	SC-1340	40

# CORTICAL BONE SCREWS

Hexagonal Head



## Ø4.5mm Cortical Screws

Threaded diameter	4.5mm
Drill Bit for Threaded Hole	3.2mm
Drill bit for gliding hole	4.5mm
Core diameter	3.0mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Cat. No	Lenght (mm)
SC-0414	14	SC-0444	44
SC-0416	16	SC-0446	46
SC-0418	18	SC-0448	48
SC-0420	20	SC-0450	50
SC-0422	22	SC-0452	52
SC-0424	24	SC-0454	54
SC-0426	26	SC-0456	56
SC-0428	28	SC-0458	58
SC-0430	30	SC-0460	60
SC-0432	32	SC-0462	62
SC-0434	34	SC-0464	64
SC-0436	36	SC-0466	66
SC-0438	38	SC-0468	68
SC-0440	40	SC-0470	70
SC-0442	42		

# MALLEOLAR SCREWS

Hexagonal Head



## Ø4.5mm Malleolar Screws

Threaded diameter	4.5mm
Drill Bit for Threaded Hole	3.2mm
Core diameter	3.0mm
Core diameter	3.0mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)
SC-5025	25
SC-5030	30
SC-5035	35
SC-5040	40
SC-5045	45
SC-5050	50
SC-5055	55
SC-5060	60
SC-5065	65
SC-5070	70

# CANCELLOUS BONE SCREWS

Hexagonal Head



## Ø4.0mm Cancellous Screws Short Threaded

Threaded diameter	4.0mm
Drill Bit for Threaded Hole	2.5mm
Shaft diameter	2.4mm
Core diameter	2.0mm
Hexagonal socket	2.5mm
Head diameter	6.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Cat. No	Lenght (mm)
SC-1010	10	SC-1026	26
SC-1012	12	SC-1028	28
SC-1014	14	SC-1030	30
SC-1016	16	SC-1035	35
SC-1018	18	SC-1040	40
SC-1020	20	SC-1045	45
SC-1022	22	SC-1050	50
SC-1024	24		



## Ø4.0mm Cancellous Screws Fully Threaded

Threaded diameter	4.0mm
Drill Bit for Threaded Hole	2.5mm
Core diameter	2.0mm
Hexagonal socket	2.5mm
Head diameter	6.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Cat. No	Lenght (mm)
SC-1110	10	SC-1132	32
SC-1112	12	SC-1134	34
SC-1114	14	SC-1136	36
SC-1116	16	SC-1138	38
SC-1118	18	SC-1140	40
SC-1120	20	SC-1142	42
SC-1122	22	SC-1144	44
SC-1124	24	SC-1146	46
SC-1126	26	SC-1148	48
SC-1128	28	SC-1150	50
SC-1130	30		

# CANCELLOUS BONE SCREWS

Hexagonal Head



## Ø6.5mm Cancellous Screws / 16 mm Thread

Threaded diameter	6.5mm
Drill Bit for Threaded Hole	3.2mm
Thread length	16mm
Shaft diameter	4.5mm
Drill Bit for shaft,optional	4.5mm
Core diameter	3.0mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Cat. No	Lenght (mm)
SC-2030	30	SC-2075	75
SC-2035	35	SC-2080	80
SC-2040	40	SC-2085	85
SC-2045	45	SC-2090	90
SC-2050	50	SC-2095	95
SC-2055	55	SC-2100	100
SC-2060	60	SC-2105	105
SC-2065	65	SC-2110	110
SC-2070	70		



## Ø6.5mm Cancellous Screws / 32 mm Thread

Threaded diameter	6.5mm
Drill Bit for Threaded Hole	3.2mm
Thread length	32mm
Shaft diameter	4.5mm
Drill Bit for shaft,optional	4.5mm
Core diameter	3.0mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Cat. No	Lenght (mm)
SC-3045	45	SC-3080	80
SC-3050	50	SC-3085	85
SC-3055	55	SC-3090	90
SC-3060	60	SC-3095	95
SC-3065	65	SC-3100	100
SC-3070	70	SC-3105	105
SC-3075	75	SC-3110	110

# CANCELLOUS BONE SCREWS

Hexagonal Head



## Ø6.5mm Cancellous Screws / Fully Threaded

Threaded diameter	6.5mm
Drill Bit for Threaded Hole	3.2mm
Core diameter	3.0mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Cat. No	Lenght (mm)
SC-4025	25	SC-4060	60
SC-4030	30	SC-4065	65
SC-4035	35	SC-4070	70
SC-4040	40	SC-4075	75
SC-4045	45	SC-4080	80
SC-4050	50	SC-4085	85
SC-4055	55	SC-4090	90

# CANNULATED SCREWS



## Small Cannulated Screws 3.5mm dia. Fully Treaded

Threaded diameter	3.5mm
Shaft diameter	2.5mm
Core diameter	2.5mm
Hexagonal socket	2.5mm
Head diameter	5.0mm
Cannulation	1.35mm
Material	Stainless Steel ISO 5832-1

Cat. No	Tot. Length (mm)	Cat. No	Tot. Length (mm)
SC-0710C	10	SC-0726C	26
SC-0712C	12	SC-0728C	28
SC-0714C	14	SC-0730C	30
SC-0716C	16	SC-0732C	32
SC-0718C	18	SC-0734C	34
SC-0720C	20	SC-0736C	36
SC-0722C	22	SC-0738C	38
SC-0724C	24	SC-0740C	40



# CANNULATED SCREWS



## Cannulated Screws 4.5mm dia. Self-Tapping Fully Ti

Threaded diameter	4.5mm
Drill Bit for Threaded Hole	3.2mm
Shaft diameter	3.1mm
Drill Bit Shaft	3.2mm
Core Diameter	2.7mm
Hexagonal socket width	3.5mm
Head diameter	6.5mm
Cannulation	1.75mm
Material	Stainless Steel ISO 5832-1

Cat. No	Tot. Length (mm)	Cat. No	Tot. Length (mm)
SC-0920C	20	SC-0940C	40
SC-0922C	22	SC-0942C	42
SC-0924C	24	SC-0944C	44
SC-0926C	26	SC-0946C	46
SC-0928C	28	SC-0948C	48
SC-0930C	30	SC-0950C	50
SC-0932C	32	SC-0952C	52
SC-0934C	34	SC-0954C	54
SC-0936C	36	SC-0956C	56
SC-0938C	38	SC-0960C	60



## Large Cannulated Screws 7.0mm dia./ 16mm Tread

Thread diameter	7.0mm
Thread Length	16mm
Shaft diameter	4.5mm
Core Diameter	4.5mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Cannulation	2.1mm
Material	Stainless Steel ISO 5832-1

Cat. No	Tot. Length (mm)	Cat. No	Tot. Length (mm)
SC-1230C	30	SC-1275C	75
SC-1235C	35	SC-1280C	80
SC-1240C	40	SC-1285C	85
SC-1245C	45	SC-1290C	90
SC-1250C	50	SC-1295C	95
SC-1255C	55	SC-1300C	100
SC-1260C	60	SC-1305C	105
SC-1265C	65	SC-1310C	110
SC-1270C	70		

# CANNULATED SCREWS



## Large Cannulated Screws 7.0mm dia./ 32mm Tread

Thread diameter	7.0mm
Thread Length	32mm
Shaft diameter	4.5mm
Core Diameter	4.5mm
Hexagonal socket	3.5mm
Head diameter	8.0mm
Cannulation	2.1mm
Material	Stainless Steel ISO 5832-1

Cat. No	Tot. Length (mm)	Cat. No	Tot. Length (mm)
SC-1345C	45	SC-1380C	80
SC-1350C	50	SC-1385C	85
SC-1355C	55	SC-1390C	90
SC-1360C	60	SC-1395C	95
SC-1365C	65	SC-1400C	100
SC-1370C	70	SC-1405C	105
SC-1375C	75	SC-1410C	110

# CANNULATED SCREWS



## Small Cannulated Screws 3.5mm dia. Short Tread

Threaded diameter	3.5mm
Shaft diameter	2.5mm
Core diameter	2.5mm
Hexagonal socket	2.5mm
Head diameter	5.0mm
Cannulation	5.0mm
Material	Stainless Steel ISO 5832-1

Cat. No	Tot. Length (mm)	Thr.Length (mm)
SC-0610C	10	4
SC-0612C	12	4
SC-0614C	14	5
SC-0616C	16	5
SC-0618C	18	6
SC-0620C	20	7
SC-0622C	22	7
SC-0624C	24	8
SC-0626C	26	8
SC-0628C	28	9
SC-0630C	30	10
SC-0632C	32	11
SC-0634C	34	11
SC-0636C	36	12
SC-0638C	38	12
SC-0640C	40	13

# CANNULATED SCREWS



## Cannulated Screws 4.5mm dia. Self-Tapping Short Threa

Threaded diameter	4.5mm
Drill Bit for Threaded Hole	3.2mm
Shaft diameter	3.1mm
Drill Bit Shaft	3.2mm
Core Diameter	2.7mm
Hexagonal socket width	3.5mm
Head diameter	6.5mm
Cannulation	1.75mm
Material	Stainless Steel ISO 5832-1

Cat. No	Tot. Lenght (mm)	Thr. Lenght (mm)
SC-0820C	20	7
SC-0822C	22	7
SC-0824C	24	8
SC-0826C	26	9
SC-0828C	28	9
SC-0830C	30	10
SC-0832C	32	11
SC-0834C	34	11
SC-0836C	36	12
SC-0838C	38	13
SC-0840C	40	13
SC-0842C	42	14
SC-0844C	44	15
SC-0846C	46	15
SC-0848C	48	16
SC-0850C	50	16
SC-0852C	52	17
SC-0854C	54	18
SC-0856C	56	19
SC-0860C	60	20